# (MAIRS

# AUTOMATIC TRIPOD TURNSTILE MT124

#### MT124 automatic turnstiles is a

kind of pedestrian turnstile gate equipped with a fully automatic turnstile mechanism, in which all operations of the turnstile machine are completed by the brushless motor. The automatic turnstile gate can be self-check automatically when powered on. In aging test mode, it will open and close automatically also. In card mode, once there is an open signal, it will open at 15 degrees and push slightly the arm, and the gates will fully open automatically.

Tripod turnstiles can be configured for unidirectional or bi-directional use. In unidirectional mode, they permit passage in only one direction, while in bi-directional mode, they allow entry and exit through the same turnstile.

Tripod turnstile features lights and audible signals to inform users whether access is granted or denied, promoting smooth and efficient passage.

Tripod turnstiles are made of sturdy materials such as 304 stainless steel and they are durable and resistant to wear and tear, even in high traffic areas.













PASSING SPEED BI-DIRECTION

POWER SUPPLY

ANTI-TAILGATING P

PROTECTIVE LEVEL T

## **Technical Specifications**

Dimension	1200*250*980mm (3.94*0.82*3.22ft) (standard)
Passage Width	550mm (1.80ft) (standard)
Arm Length	510mm (1.67ft)
Frame Material	304 stainless steel (standard), 316 stainless steel, Powder coated
Mechanism	Automatic
Pass rate	30-40 person/min
Power Supply	100V-240V 50/60Hz
Drive Solenoid	DC 24V
Open Signal	Passive Relay (Dry Contact)
Communication	RS485
Working Direction	Bi-directional(standard), Unidirectional
Emergency	Automatic drop arm after power failure
Working Temperature	-35°C ~ 60°C
Working Environment	Indoor and outdoor
Relative Humidity	95% Maximum









#### Feature

- LED ALERTS Indicate traffic direction with highlyvisible green arrows and red X icons. The front LED will keep green arrows shows that the lane is available. If the lane is not available, it will turn red.
- EMERGENCY EXIT Functionality allows free passage in the event of an emergency. The arm will drop off when power outage. Manually reset when power is restored.
- WORKING DIRECTION Single directional or Bidirectional are optional.
- AUTOMATIC RESET Arms will lock automatically within 5s (adjustable) if a person delay to access.
- **ANTI-PASS BACK** The turnstile will stay in lock if someone wants to entry in the reverse direction.
- **ANTI-INTRUSION** the gate is locked automatically until a valid open signal is sent.
- **FAST UNLOCK** One there is a valid signal, the gate will unlock within 0.2s (adjustable).
- **HYDRAULIC DAMPER** Equipped with a hydraulic shock absorber for less noise during operation.
- **AUTOMATIC MECHANISM** The mechanism is fully automatic for smoother work and less noise.

#### Access control system

Our gates come with relay signals and RS485/RS232 interfaces. You can use your own access control system, or we can provide a complete access control system to you.

	Remote control
(Fr	RFID card
<u>[]]</u>	QR code/ barcode
	Counter
	Face recognition
	Fingerprint recognition
	Coin/ Card collection
Ģ	Button



### **Customization**

- Dimension: Can be made according to the client's site.
- The fully automatic mechanism can be replaced with a semi-automatic mechanism.
- Material: 304 stainless steel to 316 stainless steel (wet environment), or iron with powder coated. The outer paint finish can be colour coated to match the local environment.
- LED lights can be added.
- Mounting base can be added.
- Cutouts can be customized to fit any reader.
- LOGO can be customized.
- Customized 3D drawings are available based on the site photos.
- OEM& ODM service is available.

#### We also offer customization services.



Cutouts can be customized to fit any reader.



Other colors available, RAL or RGB required.









